



集团微信订阅号



集团微信服务号

测试报告

(Test Report)

No. B1EC17018B1F40D5691

样品名称
(Sample Description)

SUS430+SUS304

委托单位
(Applicant)

苏州永基精密五金制品有限公司
SUZHOU YONGJI PRECISION HARDWARE
CO.,LTD



Pony Testing International Group
www.ponytest.com



查询密码:Zy2PVK6VY

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内（初级农产品报告请于报告收到之日起五日内）向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告未加盖检验检测资质认定标志，委托单位仅用于科研、教学、内部质量控制等活动使用，和/或不在单位资质认定范围内，仅供内部参考，不具有社会证明作用。本报告仅对所测样品的测试结果负责，对于测试数据的使用、使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。
This report without CMA is only used for scientific research, teaching, internal quality control by the applicant, and/or not within the scope of the company's CMA, for internal reference only, does not have social proof function. This report is only responsible for the test results of the tested sample. The company does not assume any economical or legal liability generated from direct or indirect usage of the test report.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures the objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲防伪说明 (Anti-counterfeiting Instructions):

1. 报告编号是唯一的；
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线

400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室: (010)83055000	乌鲁木齐实验室: (0991)6684186	贵州鼎盛鑫检测有限公司: (0851)84133211	武汉化学实验室: (027)83997137
北京谱尼科技公司: (010)80415661	石家庄实验室: (0311)85376660	上海实验室: (021)64851999	谱尼车附所实验室: (027)82318175
青岛实验室: (0532)88706866	西安实验室: (029)89608785	上海谱尼新能源实验室: (021)57877071	湖北中佳合成制药有限公司: (0728)5335384
天津实验室: (022)23607888	西安创尼信息科技有限公司: (029)81123180	上海谱尼生物医药实验室: (021)34189000-6515	合肥实验室: (0551)63843474
长春实验室: (0431)80530198	西安壹德威克辐射技术公司: 13080929363	苏州实验室: (0512)62997900	谱尼深圳通测实验室: (0755)27673339
沈阳实验室: (024)22811886	呼和浩特实验室: (0471)3450025	苏州汽车座椅实验室及儿童安全座椅	南宁实验室: (0771)5518818
哈尔滨实验室: (0451)58627755	成都实验室: (028)87702708	碰撞实验室: (0512)62997900-396	厦门实验室: (0592)5568048
郑州实验室: (0371)69350670	贵阳实验室: (0851)85221000		

测试报告

(Test Report)

No. B1EC17018B1F40D5691

第 1 页, 共 4 页 (page 1 of 4)

样品名称 (Sample Description)	SUS430+SUS304	样品规格 (Sample Specification)	—
委托单位 (Applicant)	苏州永基精密五金制品有 限公司 SUZHOU YONGJI PRECISION HARDWARE CO.,LTD	商标 (Trade Mark)	—
委托单位地址 (Applicant Address)	江苏省苏州市工业园区尖 浦路 3 号 No.3 Jianpu Road, Suzhou Industrial Park, Jiangsu Province	样品来源 (获取方式) (Sample Source)	送样 Send Sample
到样日期 (Received Date)	2024-12-17	生产日期或批号 (Manufacturing Date or Lot No.)	—
测试日期 (Test Date)	2024-12-17~2024-12-30	样品等级 (Sample Grade)	—
样品数量 (Sample Quantity)	1 袋 1 bags	测试类别 (Test Type)	委托测试 Commissioning Test
样品状态 (Sample Status)	正常完好 Normal and intact	测试环境 (Test Environment)	符合要求 To meet the requirements
测试项目 (Test Items)	见下页 See the next page	参考方法 (Reference Methods)	见下页 See the next page
所用主要仪器 (Main Instruments)	电感耦合等离子体质谱仪 ICP-MS		
备注 (Note)	物料编码: 12931000004651 材质: SUS430+SUS304 以上样品信息由委托单位提供。 The information of sample was provided by the applicant. 该报告中参考方法由委托单位指定。 The testing methods mentioned in this report were designated by the client. 限值标准: GB 4806.9-2023 Limit Standard:GB 4806.9-2023		
编制人 (Edited by)	陈小鹏 Ying Xiaohui	审核人 (Checked by)	周伟 Zhouyi
批准人 (Approved by)	廖德丰 Liao defeng	签发日期 (Issued Date)	2024-12-31

测试报告

(Test Report)

No. B1EC17018B1F40D5691

第 2 页, 共 4 页 (page 2 of 4)

测试结果(Test Results):

序号 (S/N)	测试项目 (Test Items)		单位 (Unit)	限值 (Limit)	测试结果 (Test Results)	单项结论 (Evaluation)	参考方法 (Reference Methods)
1	感官 Sense organ	感官 Sense organ	—	接触食品的表面应适度清洁, 镀层不应开裂、剥落, 焊接部分应光洁, 无气孔、裂缝、毛刺 The surface in contact with food should be moderately clean, the plating should not crack or peel off, and the welded part should be smooth and clean, free of porosity, cracks and burrs	符合要求 Meets the requirements	符合 Pass	GB 4806.9-2023 4.2
		浸泡液 Soaking liquid	—	迁移试验所得浸泡液不应有异臭	符合要求 Meets the requirements	符合 Pass	GB 4806.9-2023 4.2
2	砷(As)迁移量 (人造自来水, 40°C, 10d) Arsenic (As) migration (artificial tap water, 40°C, 10 days)		mg/kg	≤0.002	未检出 Not detected (<0.0006)	符合 Pass	GB 31604.49-2023 第二篇 第一法 Part II: The First Law

测试报告

(Test Report)

No. B1EC17018B1F40D5691

第 3 页, 共 4 页 (page 3 of 4)

序号 (S/N)	测试项目 (Test Items)	单位 (Unit)	限值 (Limit)	测试结果 (Test Results)	单项结论 (Evaluation)	参考方法 (Reference Methods)
3	镉(Cd)迁移量 (人 造自来水, 40°C, 10d) Cadmium (Cd) migration (artificial tap water, 40°C, 10d)	mg/kg	≤ 0.002	未检出 Not detected (<0.0003)	符合 Pass	GB 31604.49-2023 第二篇 第一法 Part II: The First Law
4	铅(Pb)迁移量 (人 造自来水, 40°C, 10d) Lead (Pb) migration (artificial tap water, 40°C, 10 days)	mg/kg	≤ 0.01	未检出 Not detected (<0.001)	符合 Pass	GB 31604.49-2023 第二篇 第一法 Part II: The First Law
5	铬(Cr)迁移量 (人 造自来水, 40°C, 10d) Chromium (Cr) migration (artificial tap water, 40°C, 10d)	mg/kg	≤ 0.25	未检出 Not detected (<0.005)	符合 Pass	GB 31604.49-2023 第二篇 第一法 Part II: The First Law
6	镍(Ni)迁移量 (人 造自来水, 40°C, 10d) Nickel (Ni) migration (artificial tap water, 40°C, 10 days)	mg/kg	≤ 0.14	未检出 Not detected (<0.005)	符合 Pass	GB 31604.49-2023 第二篇 第一法 Part II: The First Law

—— 本页以下空白 ——

—— The following blanks on this page ——

测试报告

(Test Report)

No. B1EC17018B1F40D5691

第 4 页, 共 4 页 (page 4 of 4)

照片 Photo:



——以下空白——

(End of Report)